Rev. 072313



eBridge100SPR - EoC Receiver eBridge4SPT - 4 Port PoE/PoE+ EoC Transceiver Switch



Overview:

The eBridge4SK kit consists of eBridge100SPR and eBridge4SPT which are Coax to CAT-5 Ethernet adapters/media converters that deliver data and power over coax cable. eBridge4SK enables fast 10/100 Base-T Ethernet digital communication. eBridge4SPT allows you to upgrade your existing infrastructure by replacing a single analog device with up to four (4) PoE/PoE+ devices. eBridge100SPR passes data and sends power over the coax to the eBridge4SPT. Data transmission and power over the Coax are possible up to 300m. Maximum range from head end to the PoE camera/device is 610m, taking into consideration that up to 100m of structured cable may be deployed at each end. Built-in IP management allows for remote camera reset, monitoring and reporting via various IP protocols. eBridge4SK enables cost-effective system upgrades and eliminates the costs and labor associated with installing new network cabling.

Note: Ethernet maximum distance (see Maximum Length of Coax Type vs. Camera Power/PoE Class, pg. 3).

Agency Listings:

- UL/CUL Listed for Information Technology Equipment (UL 60950-1).
- CE approved.

Input:

• eBridge100SPR - 51-56VDC/60W max. power.* eBridge4SPT - powered by eBridge100SPR.

Power Output:

- eBridge4SPT: 4 ports PoE+ (30W) per port.
- Total output power: 60W.

Ethernet:

- Connectivity: RJ45, auto-crossover.
- Wire type: 4-pair Cat-5e or better structured cable.
- Distance: up to 100m.
- Speed: 10/100BaseT, half/full duplex, auto negotiation.

Coax:

- Distance: up to 300m.
- Connectivity: BNC, RG-59/U or similar.
- Throughput is rated to pass 100mbps from camera to receiver. With the proper headend equipment multiple Megapixel cameras can be used.
- I ED Indicatore:

LED Indicators:

• Blue LED - Coax link connection.

*UL Listed Class 2 or limited power source (NetWay1D).

Features:

LED Indicators (cont'd):

- Green LED Power (eBridge100SPR only).
- Yellow and Green LED (RJ45) IP Link status, 10/100Base-T/active.

Environmental:

- Operating Ambient Temperature : eBridge100SPR: -40°C to 60°C (-40°F to 140°F). eBridge4SPT: 60W: -40°C to 75°C (-40°F to 167°F).
- Storage Temperature: -40° C to 75° C (-40° F to 167° F).
- Humidity: 20 to 85%, non-condensing.

Applications:

- Retrofit digital IP cameras in an analog CCTV installation (up to four (4) IP cameras expansion per analog camera).
- Works with Megapixel, HD720, HD1080 and VGA (SD) cameras (see note, pg. 2).
- Extend Network link distance in an industrial environment.
- Upgrade deployed CCTV Coax to a digital network in Retail, Hospitality, Arenas, Casinos, Airports, Schools, Hospitals, Transportation, etc.

Mechanical:

- Dimensions (H x W x D approx.): eBridge100SPR: 4.375" x 3.5" x 1" (111.125mm x 88.89mm x 25.4mm)
- eBridge4SPT: 1.7" x 5.23" x 8.93" (43.18mm x 132.84mm x 226.82mm)

Installation Instructions:

Wiring methods shall be in accordance with the National Electrical Code/NFPA 70/ANSI, and with all local codes and authorities having jurisdiction. Wiring should be UL Listed and/or Recognized wire suitable for the application.

eBridge100SPR and eBridge4SPT is not intended to be connected to outside plant leads and should be installed indoors within the protected premises. The eBridge100SPR and eBridge4SPT is intended for indoor use only.

- 1. eBridge100SPR installation:
 - a. Secure unit to desired mounting surface with a proper fastening device utilizing the unit's mounting hole.

Unit should be mounted in proximity to Ethernet switch/network, NVR or video server.

b. Connect 56VDC UL Listed Class 2 or limited power source to terminals marked [Power – Input +] (observe proper polarity) (*Fig. 1, pg. 3*). Use 22AWG-16AWG wire for this connection.

Caution: 56VDC will be present on coax. The other end of the coax should only be connected to the eBridge4SPT.


- c. Connect structured cable from Ethernet switch/NVR (network video server) to RJ45 jack marked [10/100 BaseT] (Fig. 1, pg. 3).
- d. Connect Coax cable to BNC connector marked [Coax] (Fig. 1, pg. 3).
- 2. eBridge4SPT installation:
 - a. Affix rubber pads to eBridge4SPT for shelf installation (Fig. 9, pg. 12).
 - b. Connect Coax cable from eBridge100SPR to BNC connector marked [Coax] located on the back of the unit (Fig. 1, pg. 3).
 - c. Connect structured cable from PoE/PoE+ cameras/devices to RJ45 jacks marked [1-4] (Fig. 1, pg. 3).

Note: The eBridge is designed to accommodate Megapixel, HD720, HD1080 and VGA (SD) cameras. It is important to note that some high resolution and high frame rate cameras may demand faster headend processing ability, such as a PC graphics card to present a quality image. If the headend processing equipment is insufficient in speed, the image may show pixelation and latency. It is advisable to pretest system if unsure. Alternatively, frame rate and resolution may be reduced to accommodate system equipment.

Parameter	Description
Connections	BNC for Coax link. RJ45 for Ethernet link.
Input power requirements	eBridge100SPR - 51-56VDC/60W @ max. power. eBridge4SPT - powered by eBridge100SPR.
Indicators	Blue: Coax Link. Yellow (RJ45 connector): On - Link, Off - No Link, Blinking - Activity. Green (RJ45 connector): On - 100Base-TX, Off - 10Base-T.
Environmental Conditions	Operating Ambient Temperature (UL60950-1): eBridge100SPR: -40° C to 60° C (-40° F to 140° F). eBridge4SPT: $60W$: -40° C to 75° C (-40° F to 167° F). Relative humidity: 85% , $+/-5\%$ Storage Temperature: -40° C to 75° C (-40° F to 167° F). Operating Altitude: -1000 to $6,561.679$ ft. (-304.8 to 2000 m).
Regulatory Compliance	UL/CUL Listed for Information Technology Equipment (UL 60950-1). CE approved.
Weights (approx.)	eBridge100SPR - Product: 5.1 oz. (0.144 kg.), Shipping: 7.76 oz. (0.22 kg.) eBridge4SPT - Product: 2.9 lbs. (1.32 kg), Shipping: 3.9 lbs. (1.77 kg)

Technical Specifications:

Typical Application:



Maximum Length of Coax Type vs. Camera Power/PoE Class:

Camera Power/ PoE Class	RG59/U (23AWG)	RG59/U (22AWG)	RG59/U (20AWG)	RG59/U (18AWG)	RG6/U (18AWG)
I OL Class			Max. Length (meters)		
13W/0 or 13W/3	260.64m	335.28m	500m	500m	500m
25W	118.9m	150.6m	239.3m+	365.8m+	365.8m+
60W	50.3m+	63.4m+	100.6m+	160m+	160m+

Internet Browser Setup

Factory Default settings

- IP Address: 192.168.168.168
- User Name: admin
- Password: admin
- 1. Set the static IP address for the laptop to be used for programming to the same network IP address as the eBridge4SPT, i.e. 192.168.168.200 (the default address of the eBridge4SPT is 192.168.168.168).
- 2. Connect one end of the network cable to the network jack on the eBridge100SPR and the other to the network connection of the laptop.

- 3. Open a browser on the computer and enter "192.168.168" into the address bar. A dialog box Authentication Required will appear requesting both user name and password enter the default values here. Click on the button labeled Log In.
- 4. The status page of the eBridge4SPT will appear. This page displays the real time status and health of each device connected to the eBridge4SPT.

Network Setup:

Click on the tab labeled **Network Settings**. This will open the Network Setting screen. In this screen the MAC Address of the eBridge4SPT module will be found along with the programming fields for the Network Settings, Trap Receiver Settings, SNMP Port Settings and Email Settings.

Network Settings: In the IP Address Method field select the method that the IP Address for the eBridge4SPT will be obtained **"Static"** or **"DHCP"** then follow the appropriate steps.

STATIC (Fig. 2a, pg. 4):


- 1. **IP Address:** Enter the IP address assigned to the eBridge4SPT by the network administrator.
- 2. Subnet Mask: Enter the Subnet of the network.
- 3. Gateway: Enter the TCP/IP gateway of the network access point (router) being used.

Note: Gateway configuration is required to properly receive emails from the device.

- 4. **HTTP Port:** Enter the HTTP port number assigned to the eBridge4SPT module by the network administrator to allow remote access and monitoring. The default inbound port setting is 80. HTTP is not encrypted and unsecure. Even though HTTP can be used for remote access it is recommended primarily for use with LAN connections.
- 5. **HTTPS Port:** Enter the HTTPS port number assigned to the eBridge4SPT module by the network administrator to allow remote access and monitoring. The default inbound port setting is 443. Being encrypted and more secure, HTTPS is highly recommended for remote access.
- 6. Click the button labeled **Submit Network Settings**. A dialog box will display "New network settings will take effect after the server is rebooted". Click **OK**.

DHCP (*Fig. 2a, pg. 4*):

- After selecting DHCP in the IP Address Method field click the button labeled Submit Network Settings. A dialog box will display "New network settings will take effect after the server is rebooted". Click OK. Next click on the button labeled Reboot Server. After rebooting the eBridge4SPT will be set in the DHCP mode. The IP address will be assigned by the router when the eBridge4SPT is connected to the network. It is recommended to have the assigned IP Address reserved to ensure continued access (see the network administrator).
- 2. Subnet Mask: When operating in DHCP the router will assign the subnet mask values.
- 3. Gateway: TCP/IP gateway of the network access point (router) being used will be displayed.



- 4. **HTTP Port:** Enter the HTTP port number assigned to the eBridge4SPT module by the network administrator to allow remote access and monitoring. The default inbound port setting is 80. HTTP is not encrypted and unsecure. Even though HTTP can be used for remote access it is recommended primarily for use with LAN connections.
- 5. **HTTPS Port:** Enter the HTTPS port number assigned to the eBridge4SPT module by the network administrator to allow remote access and monitoring. The default inbound port setting is 443. Being encrypted and more secure, HTTPS is highly recommended for remote access.
- 6. Click the button labeled Submit Network Settings. A dialog box will display "New network settings will take effect after the server is rebooted". Click OK.

Trap Receiver Settings (Fig. 2b, pg. 4):

- 1. Enter up to five SNMP trap receiver IP addresses. When accessing the eBridge4SPT remotely check with the network administrator for proper configuration.
- 2. Click the button labeled **Submit Trap Receiver IP Settings**. A dialog box will display "New Trap Receiver IP settings will take effect after the server is rebooted". Click **OK**.

SNMP Port Settings (Fig. 2c, pg. 4):

SNMP uses the default port 161 for general SNMP messages and port 162 for SNMP trap messages. In the event these port need to be changed enter the new port numbers assigned by the network administrator. Click the button labeled **Submit Port Settings**. A dialog box will display "New SNMP port settings will take effect after the server is rebooted". Click **OK**.

Email Settings (Fig. 2d, pg. 4):

The eBridge4SPT can send emails via an in-house email server, email service provider (i.e. Gmail, Yahoo) or Altronix default email service.

In-house email server:

- 1. From: Enter the email address assigned to the eBridge4SPT module by the system administrator.
- 2. Subject: Identify the location of the ebridge4SPT (i.e. the Site ID).
- 3. Username: Enter the username associated with the eBridge4SPT module email address.
- 4. **Password:** Enter the username password.
- 5. SMTP server IP: Enter the SMPT IP address of the in-house email server.
- 6. SMTP server Port: Enter the SMPT port assigned to the in-house email server.
- 7. Outgoing Email Address 1-5: Enter up to five outgoing email addresses.
- 8. Click the button labeled **Submit Email Settings** email setting will be saved.

Email service provider:

- 1. From: Enter the email address for the eBridge4SPT module.
- 2. Subject: Identify the location of the eBridge4SPT (i.e. the Site ID)
- 3. Username: Enter the username associated with the eBridge4SPT module email address.
- 4. Password: Enter the username password
- 5. SMTP server IP: Enter the SMPT IP address of the email service provider.
- 6. SMTP server Port: Enter the email SMPT port number. The default SMPT email ports are 25 or 465 unless otherwise specified.
- 7. Outgoing Email Address 1-5: Enter up to five outgoing email addresses.
- 8. Click the button labeled Submit Email Settings email setting will be saved.

Altronix default email service:

- 1. All required sender and network fields have already been populated.
- 2. Outgoing Email Address 1-5: Enter up to five outgoing email addresses.
- 3. Click the button labeled Submit Email Settings. Email settings will be saved.

To test the email setup click the button labeled Test Email. An email will be sent to all Outgoing email addresses. If the test email is not received contact the

network administrator and repeat the email setup sets.

After all fields have been programed click the button labeled **Reboot Server**. A dialog box will display "Please allow up to 30 sec. for server to reboot". Click **OK**. All programmed information will be saved after the server has rebooted.

Setup:

Click on the tab labeled **Setup**. The eBridge4SPT setup page will open. In this screen the Site ID, Date/Time and Port identification are setup, along with the ability to enable and disable individual ports.

Site ID (*Fig. 3a, pg. 6*): Enter a descriptive name that will identify the location of the eBridge4SPT. The Site ID will appear in both the trap message and email notifications.

Date/Time (Fig. 3b, pg. 6): Time and Date can be entered two different ways manually or by syncing the date and time with the host computer.

Manual setup (*Fig. 3b, pg. 6*): Individually select the appropriate information for each of the required field then click **Update**. This will update time of the eBridge4SPT to the programmed information. The manual setup can be used when programming devices installed in one time zone and monitored in another. **Sync Setup** (*Fig. 3b, pg. 6*): Clicking the button labeled **Sync Date/Time with computer** will set the eBridge4SPT to the time of the host computer.

Port ID (Fig. 3c, pg. 6): Enter a descriptive name and/or location of the device connected to the port.

Port Status (*Fig. 3d, pg. 6*): Individual ports can be enabled or disabled by clicking the button labeled **Enable Port/Disable Port**. This feature allows unused ports to be disabled and also can be used to reboot a connected device by cycling power OFF and ON.

After all fields have been programmed click on the button labeled Save Settings.

Fig. 3

\mathbf{A}	Altronix [®] eBridge	Mana	gement Interface	
State	us Setup Network Settings Security Settings E	Events Log		v1.99.22
eBrio	dge4SPT			Setup
Site ID	D: a. Update Site ID			
Trap F	Receiver Settings:			
Jul	▼ 15▼ 2015▼ [9 ▼ : 32 ▼ : 53 ▼ am ▼]	Update	Sync Date/Time with computer	
Port	Port ID C.		Port Status d.	
1	Main Entrance		Enabled Disable Port	
2	Production		Enabled Disable Port	
3	Receiving		Enabled Disable Port	
4	Shipping		Enabled Disable Port	
	Sat	ve Settings		

Security Settings:

Click on the tab labeled **Security Settings**. The eBridge4SPT security setting page will open. In this screen the SSL certificate and Key will be entered, the SSL can be enabled or disabled and new username and password can be set. Using an SSL certificate will ensure that when remotely accessing the eBridge4SPT all data has been encrypted and there for secure through the assigned HTPPS Port. *Fig. 4a*

SSL Certificate Setting (Fig. 4a, pg. 7):

Generating a self-signed SSL Certificate and Key.

- 1. State: Two letter code representing the state where the organization is located.
- 2. Location: The city where the organization is located.
- 3. **Organization:** The legal name of the organization. This should not be abbreviated, and should include suffixes such as Inc., Corp, or LLC.
- 4. Unit Name: Name of the device.
- 5. **Common Name:** Domain name or IP address of the server. This is typically assigned by the network administrator.
- 6. Email Address: An email address used to contact the organization.

After all field have been completed click on the button labeled **Submit SSL Settings**. A dialog box will appear "Please allow up to 30 secs. for server to reboot". Click **OK**. A self-signed SSL certificate will be generated with the information provided in the "SSL certificate settings" fields. The certificate will be valid for 500 days, and time stamped with the time settings present on the eBridge4SPT module. The date and time must be synced with the host computer before generating an SSL certificate.

Using a private SSL certificate and Key (Fig. 4b, pg. 7):

Private SSL Certificates and Keys must be uploaded using the Altronix Dashboard. For additional information refer to the Altronix Dashboard setup/user manual section Updating firmware / SSL certificate and Key.

SSL Status:

Certificate Status:	Certificate OK = Valid SSL Certificate
	Bad Certificate = Invalid SSL Certificate
	No Certificate = a Valid SSL Certificate has not been loaded.
Key Status:	Key OK = Valid SSL Key
	Bad Key = Invalid SSL Key
	No Key = a Valid SSL Key has not been loaded.
SSL State:	The SSL of the eBridge4SPT can be turned on and off by click the
	button labeled Turn SSL On/Turn SSL Off.

SSL Certificate Settings:	
State:	NY
Locality:	Brooklyn
Organization:	RJ Sports Wear Inc.
Unit Name:	eBridge4SPT
Common Name:	192.168.168.168
Email Address: mike@	@rjsports.com
5	Submit SSL Settings

SSL Status:	
	Certificate Status: Certificate Ok
	Key Status: Key Ok
	SSL State: Off Turn SSL On

Change Username and Password (Fig. 4c, pg. 8):

- 1. Username: Enter the new Username (up to 32 characters) required to access the eBridge4SPT.
- 2. **Password:** Enter the new Password (up to 32 alpha numeric characters) required to access the eBridge4SPT.
- 3. Confirm Password: Reenter the new Password.

Click the button labeled Save Username and Password. A dialog box with appear,

"New settings have been applied". Click **OK**.

After saving, the new username and password will be active.

18.10	Fig.	4c
-------	------	----

Change Username and Password:	
Username: RJsports	
Password: ******	
Confirm Password: ******	
Save Username and Password	

Event Log and Heartbeat Timer:

Click on the tab labeled **Event Log**. The eBridge4SPT event log will open. This screen will display the event log along with the heartbeat timer setup. Event Log: The event log will display the 50 most recent events. To update the Event Log click the button labeled **Display/Refresh Log**. *Fig. 5*

Events	ιοα
	LUY

Site ID: RJ Sports Wear

Friday, Jul. 31 2015 [9:01 am]

Last update: Fri Jul 31 2015 09:01:37 GMT-0400 (Eastern Daylight Time)

Display/Refresh Log | Heartbeat Timer Settings

Fri	Jul	31	2015	08:05:03	GMT-0400 (Eastern Daylight Time)	:	eBridge4SPT@eBridge4SPT@Port3	Disabled
Fri	Jul	31	2015	08:10:12	GMT-0400 (Eastern Daylight Time)	:	eBridge4SPT@eBridge4SPT@Port1	Disabled
Fri	Jul	31	2015	08:15:24	GMT-0400 (Eastern Daylight Time)	:	eBridge4SPT@eBridge4SPT@Port2	Disabled
Fri	Jul	31	2015	08:20:36	GMT-0400 (Eastern Daylight Time)	:	eBridge4SPT@eBridge4SPT@Port4	Disabled
Fri	Jul	31	2015	08:35:17	GMT-0400 (Eastern Daylight Time)	:	eBridge4SPT@eBridge4SPT@Port3	Enabled
Fri	Jul	31	2015	08:40:28	GMT-0400 (Eastern Daylight Time)	:	eBridge4SPT@eBridge4SPT@Port1	Enabled
Fri	Jul	31	2015	08:45:43	GMT-0400 (Eastern Daylight Time)	:	eBridge4SPT@eBridge4SPT@Port2	Enabled
Fri	Jul	31	2015	08:50:00	GMT-0400 (Eastern Daylight Time)	:	eBridge4SPT@eBridge4SPT@Port4	Enabled

Heartbeat Timer: The heartbeat timer will send a trap message indicating that the eBridge4SPT is still connected and communicating.

Setting the Heart Beat Timer:

- 1. Click the button labeled **Heartbeat Timer Setting**.
- 2. Select the desired time between heartbeat messaging in the Days, Hours, Minutes and Seconds in corresponding fields.
- 3. Click the button labeled **Submit** to save settings.

Fig. 6

\mathbf{A}	Itro	nix® e	Bridge	Manag	gement Interface	TECHNOLOGY
Status	Setup	Network Settings	Security Settings	Events Log		v1.99.22
Events I Site ID: RJ S Display/Ref	Sports Wear	Heartbeat Timer Setting	gs	La	Friday, st update: Fri Jul 31 2015 09:01:37 GMT-0400	Jul. 31 2015 [9:01 am]) (Eastern Daylight Time)
Heartbeat						
_1 ▼ Days	s 0 ▼ Ho	urs 0 - Minutes 0	Seconds Submit			

Updating Firmware:

Firmware updates must be done using the Altronix Dashboard. For additional information refer to the Altronix Dashboard setup/user manual's section Updating firmware / SSL certificate and Key.

Status Screen:


- a. Class Power (Watts) (Fig. 7a, pg. 10): Wattage required by the PoE class of the device.
- b. Actual Power Draw (Watts) (Fig. 7b, pg. 10): Amount of watts being drawn by the connected device.
- c. Device Status (Fig. 7c, pg. 10): Active or Inactive.
- d. Port Status (Fig. 7d, pg. 10): Indicates whether port is Enabled or Disabled.

Fig. 7


eBridge4SPT Site ID: RJ Sports Wear Wednesday, Jul. 15 2015 [9:3 Port 1 : Main Entrance Port 2 : Production Class Power (Watts) Device Status Port Status Class Power (Watts) Device Status Port Status	Alt	ronix®	eBr	idge 1	lanage	ement Inter	face	TECHNOLOGY
Site ID: RJ Sports Wear Wednesday, Jul. 15 2015 [9:3 Port 1 : Main Entrance Port 2 : Production Class Power (Watts) Device Status Port Status a. 6.49 b. 3.85 c. Active d. Enabled Port 3 : Receiving Port Status Port 4 : Shipping Class Power Actual Power Draw Device Status Device Status Port Status Class Power Actual Power Draw Device Status Port 3 : Receiving Port Status Class Power Actual Power Draw Device Status Device Status Port Status	Status S	etup Network S	ettings Securi	ty Settings Ex	vents Log			v1.99.22
Class Power (Watts) Actual Power Draw (Watts) Device Status Port Status Class Power (Watts) Actual Power Draw (Watts) Device Status Port Status a. 6.49 b. 3.85 c. Active d. Enabled 6.49 3.90 Active Enabled Port 3 : Receiving Class Power Actual Power Draw Device Status Port Status Class Power Actual Power Draw Device Status Port Status Class Power Actual Power Draw Device Status Port Status	Site ID: RJ Sports	Wear			Port 2 · Pro	duction	Wednesday, J	Status ul. 15 2015 [9:35 am]
Port 3 : Receiving Port 4 : Shipping Class Power Actual Power Draw Device Status Port Status	Class Power	Actual Power Draw	Device Status	Port Status	Class Po	wer Actual Power Draw	Device Status	Port Status
Class Power Actual Power Draw Device Status Port Status Class Power Actual Power Draw Device Status Port Statu	a. 6.49	b. 3.85	c. Active	d. Enabled	6.49	3.90	Active	Enabled
			Davias Status	Port Status			Dovice Statue	Port Status
6.49 3.25 Active Enabled 6.49 3.25 Active Enabled	(Watts)				(Watts	(Watts)	Device Status	Full Status

Connection Status: OK

Notes:



- 1- Position and affix rubber pads (C) (included) at each corner on the bottom of the unit (Fig. 9).
- 2- Place unit in desired location.



Altronix is not responsible for any typographical errors.

140 58th Street, Brooklyn, New York 11220 USA, 718-567-8181, fax: 718-567-9056 website: www.altronix.com, e-mail: info@altronix.com. Lifetime Warranty, Made in U.S.A. IIeBridge4SK

