


10G SFP+ Transceiver



Technical Specifications

Model Name	SFP-2000-MM85-X3	SFP-2000-SM13-10
Data Rate Gigabit	10G	10G
Center Wave Length	850nm	1310nm
Laser type	VCSEL	DFB
Tx	-1 ~ -7 dBm	-8 ~ 0.5 dBm
Rx	-1 ~ -9.9 dBm	-1 ~ -14.4 dBm
Voltage	3.3V	3.3V
Transmission Range	50/125μm, up to 0.3km	9/125μm, up to 10km
Fiber type (MMF / SMF)	MMF	SMF
Connector	LC	LC
Dimensions	55.9 (L) x 14.69 (W) x 12.39 (H) mm	55.9 (L) x 14.69 (W) x 12.39 (H) mm
Operating Temperature	0°C ~ 70°C (32°F ~ 158°F)	0°C ~ 70°C (32°F ~ 158°F)
Storage Temperature	-40°C ~ 85°C (-40°F ~ 185°F)	-40°C ~ 85°C (-40°F ~ 185°F)
Humidity	5 ~ 90% (non-condensing)	5 ~ 90% (non-condensing)
MSA Compliant	Yes	Yes
Certifications	IEC 825, EN 60825-1, FDA 21 CFR 1040.10 and 1040.11	IEC 825, EN 60825-1, FDA 21 CFR 1040.10 and 1040.11

Dimensions



Application

