



6722W

MINI HANDSFFREE BM MONITOR, VIP





6722W

MINI HANDSFREE BM MONITOR, VIP

MAIN SPECIFICATIONS

Audio system:	No
Audio/video system:	Yes
Flush-mounted:	No
Wall-mounted:	Yes
Desk base-mounted:	Yes
Hands-free function:	Yes
Induction loop function:	Yes
Type of display:	LCD
Display size (inches):	4,3" 16:9
Touch screen display:	Yes
Display resolution (H x V):	480x272
B/W or colour display:	Color
Product colour:	White
Sensitive Touch technology:	Yes
Total buttons:	8
LED signaling (No.):	4
Wi-Fi Port:	No
Comaptibility with Video Entry Comelit App :	No

FUNCTIONS

Actuator control function:	Yes
Self-ignition:	Yes
Switchboard call function:	Yes
Panic call:	Yes
Intercom function:	Yes
Selective intercom call:	Yes
Call to multiple addresses:	Yes
Call to group addresses:	Yes
Call forwarding:	Yes
Privacy function:	Yes
Doctor:	Yes
Floor door call function:	Yes
Electronic bell:	Yes
Customisable ringtone:	Yes
Viewer energy consumption:	Yes
Alarm function:	Yes
Receiving text messages:	Yes
Images reception:	Yes
Sending emails on event:	Yes



6722W

MINI HANDSFREE BM MONITOR, VIP

SETTINGS

Loudspeaker volume control:	Yes
Ringtone volume control:	Yes
Backlighting display:	Yes

GENERAL DATA

Product height (inch):	6.3
Product width (inch):	4.53
Product depth (inches):	0.87

COMPATIBILITY

Vip system:	Yes
-------------	-----

TECHNICAL SPECIFICATIONS

Power supply voltage:	36 ÷ 57
POE power supply:	Yes
IP Rating:	IP30
Operating temperature (°F):	41 ÷ 104
RH max operating humidity (%):	25 ÷ 75
Video encoding:	H.264
Product weight (oz):	1.19
Clamps:	-IN1 IN2 IN3
Network connection:	RJ45



6722W

MINI HANDSFREE BM MONITOR, VIP

ACCESSORIES



6710

BACKPLATE AND DISTRIBUTION TERMINAL FOR MINI MONITOR

Wall-mounting or residential series box backplate for MINI monitor, /BM versions with handset featuring magnetic induction for hearing aid wearers. Also includes riser distribution terminal Art. 1214/2C. Dimensions 145x100x4 mm.

ADAPTER PLATE FOR MINI HANDSFREE

6711WV



6720

BRCKT FOR ROUTING EXT. CABLES. HANDSFREE MINI MON.

Wall support bracket for handsfree Mini monitor allowing thru-routing of external cables. Dimensions:106.3x149.60x19mm.



6720V

Bracket for routing Mini HF VIP external cables

Wall bracket for ViP system hands-free Mini monitor; allows through-routing of external cables.



6732

DESK BASE FOR HANDSFREE MINI MONITOR

Desk base for desktop conversion of Handsfree Mini monitor. Complete with 1x 2 metre cable with RJ45 connector to connect monitor terminals to the coupler or domestic series socket. Dimensions: 140x190x140mm.

DESK BASE FOR MINI HF SBC MONITOR

6732A



6722W

MINI HANDSFREE BM MONITOR, VIP



6732V

Desk base for Mini HF VIP monitor

Desk base for desktop conversion of VIP system hands-free Mini monitor. Complete with 1 x 2 metre cable with RJ45 connector to connect monitor terminals to the coupler or residential series socket.



6734W

ADD. BUTTONS KIT HANDS-FREE MINI MONITOR, WHITE

Accessory for conversion of the monitors of the Mini series Art 6721W and 6721W/BM into 8-button versions. Includes an 8-button faceplate and an electronic module for button activation, which can be installed quickly without the need to open the monitor casing.