


## HG3Z1014AFCS

## 3X 10mm - 30mm F1.4 for 1/2 type Cameras, Vari-focal Auto Iris VIDEO Drive CS-Mount

with Focus and Amplifier

						1		
Model No.		HG3Z1014AFCS		Effective	Front	Ø26.6mm		
Focal Length		10mm - 30mm		Lens Aperture	Rear	Ø9.0mm		
Max. Aperture Ratio		1:1.4		Back Focal	Tele	9.8mm		
Max. Image Format		6.4mm x 4.8mm(Ø8mm)		Length	Wide	11mm		
Operation Range	Iris	F1.4 - F360C		Flange Back Length		12.5mm		
	Focus	0.6m - Inf.		Mount		CS-Mount		
	Zoom	10mm - 30mm		Filter Size		M37.5 P=0.5mm		
Control	Iris	Video Auto Iris		Dimensions		Ø41.7mm x 57.5mm x 57.7mm		
	Focus	Manual		Weight		125g		
	Zoom	Manual						
Object Dimension	10mm	38.8cm x 28.6cm 13.1cm x 9.9cm						
at M.O.D.	30mm							
Angle of View	D	1/2 type	44.8° - 15.6°	1/3 type	35.6° - 11.7°	1/4 type	25.1° - 8.8°	
	Н		35.8° - 12.5°		26.8° - 9.4°		20.1° - 7.0°	
	V		26.8° - 9.4°		20.1° - 7.1°		15.0° - 5.3°	
Supply Voltage		DC8.5V - DC16V						
Current		Less than 40mA						
Response Time		Approx. 2 sec.						
Light Weighting Method		Adjustable between Average - Peak (to be Set at Average at Factory)						
Input Signal		Video Signal (V. or V.S.)						
Iris Accurancy		±15% at Video Signal Level						
Sensitivity Adjustment		0.5V(p-p) - 1.0V(p-p) (Video Signal)						
Input Impedance		High Impedance						
Operating Temperature		-20°C - +50°C						

M.O.D. : Minimum Object Distance



## Wiring Diagram

	RED	Vcc(+) DC8.5V-DC16V
LENS	 WHITE	Video Signal (V. or V.S.)
	 BLACK	Vcc(-)