



# kramer

## RTBUS-27xl

Round Table Connection Bus for Power  
Socket and Cable Pass-Throughs

---



RTBUS 27xl is an elegant furniture-mounted, round connection bus that houses a power socket and two cable pass-throughs. RTBUS 27xl features a pneumatic lid mechanism for lifting and smooth closing and is easily installed into a table or podium top.

NOTE: The power socket, power cord and cables are purchased separately

## FEATURES

---

**Customizable** - Houses any of the following power sockets: USA, UK, Germany (the Europlug), Belgium-France, Switzerland, Italy, Australia, Brazil, Israel, South Africa or "Universal" for use anywhere

**Hidden Cable Pass-Throughs** - Enable closing the lid while keeping two cables hidden and protected under the table surface

**Cutout Size (Mount Dimension)** - 111-114mm (4.37in to 4.49in) diameter



# kramer

## TECHNICAL SPECIFICATIONS

---

Extended USB	Cutout Size 111–114mm (4.37in to 4.49in) diameter
Power	<p>Power rating varies according to the location and the power socket assembly (purchased separately) installed in the tbus, as follows:</p> <p>Universal: 100–240V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>USA: 100–240V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>Germany and EU: 100–240V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>Belgium and France: 100–240V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>Italy: 100–240V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>Australia: 100–240V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>Israel: 220V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>South Africa: 220V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>Switzerland: 220V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>England: 220V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>Brazil: 220V AC, 50/60Hz, 5A, maximum 5A per power outlet</p> <p>Fuse Rating: T 6.3A 250V</p>
Environmental Conditions	<p>Operating Temperature: 0° to +40°C (32° to 104°F)</p> <p>Storage Temperature: -40° to +70°C (-40° to 158°F)</p> <p>Humidity: 10% to 90%, RHL non-condensing</p>
Regulatory Compliance (Standards Compliance)	<p>Safety: CE, UL</p> <p>Environmental: RoHs, WEEE</p>
COAX	Included Clamp set
Optional	TBUS AC Power Cord, power socket kits



# kramer

## CONFIGURATIONS

---

RTBUS-27XL(B)	Round Table Connection Bus — Sand-blasted Anodized Aluminum Top - Black
---------------	---

---

RTBUS-27XL(BC)	Round Table Connection Bus — Sand-blasted Anodized Aluminum Top - Silver
----------------	--

---